ELSEVIER

Brain Research Bulletin 62 (2004) 555–559

BRAIN
RESEARCH
BULLETIN

www.elsevier.com/locate/brainresbull

Contents of Volume 62

Obituary

Eberhard H. Buhl 1959–2003.
LeBeau, F.E.N., M.A. Whittington and R.D. Traub 1

Reviews

The role of electrical signaling via gap junctions in the generation of fast network oscillations.
LeBeau, F.E.N., R.D. Traub, H. Monyer, M.A. Whittington and E.H. Buhl 3

The role of metals in neurodegenerative processes: aluminum, manganese, and zinc.
Zatta, P., R. Lucchini, S.J. van Rensburg and A. Taylor 15

Articles

Synergistic protection of PC12 cells from β-amyloid toxicity by resveratrol and catechin.
Conte, A., S. Pellegrini and D. Tagliazucchi 29

Hippocampal mGluR1 and consolidation of contextual fear conditioning.
Maciejak, P., E. Taracha, M. Lehner, J. Szyndler, A. Bidziński, A. Skórzewska, A. Wisłowska, M. Zienowicz and A. Płaźnik 39

Cortical and striatal μ-opioid receptors are altered by gonadal hormone treatment but not by prenatal morphine exposure in adult male and female rats.
Šlamberová, R., Á. Rimanóczy, C.J. Schindler and I. Vathy 47

BAX protein-immunoreactivity in midbrain neurons of Parkinson's disease patients.
Horowitz, J.M., D.M. Pastor, A. Goyal, S. Kar, N. Ramdeen, B.H. Hallas and G. Torres 55

Involvement of NMDA receptors in Zif/268 expression in the trigeminal nucleus caudalis following formalin injection into the rat whisker pad.
Otahara, N., T. Ikeda, S. Sakoda, R. Shiba and T. Nishimori 63

Central adaptation to chronic administration of interleukin-1β (IL-1β) in rats.
MohanKumar, S.M.J., C.L. Smith and P.S. MohanKumar 71

Role of dopamine D_2 receptors in the striatal immediate early gene response to amphetamine in reserpinized rats.
Wirtshafter D. and A.C. Sheppard 77

Articles

Gender-specific effect of maternal deprivation on anxiety and corticotropin-releasing hormone mRNA expression in rats.
Barna, I., E. Bálint, J. Baranyi, N. Bakos, G.B. Makara and J. Haller 85

Effect of haloperidol and risperidone on amyloid precursor protein levels in vivo.
Palotás, A., M. Pákáski, M. Palotás, M. Hugyecz, J. Molnár, B. Penke, Z. Janka and J. Kálmán 93

doi:10.1016/S0361-9230(04)00031-0

Hydrogen peroxide induces apoptosis in cerebral vascular smooth muscle cells: possible relation to neurodegenerative diseases and strokes.
Li, J., W. Li, J. Su, W. Liu, B.T. Altura and B.M. Altura 101

Effects of electrolytic and 6-hydroxydopamine lesions of rat nigrostriatal pathway on nitric oxide synthase and nicotinamide adenine dinucleotide phosphate diaphorase.
Gomes, M.Z. and E.A. Del Bel 107

Effects of excitotoxic lesions of the gustatory thalamus on latent inhibition and blocking of conditioned taste aversion in rats.
Reilly, S., M. Bornovalova, C. Dengler and R. Trifunovic 117

3,4-DAP-evoked transmitter release in hippocampal slices of aged rats with impaired memory.
Schweizer, T., A. Birthelmer, A. Lazaris, J.-C. Cassel and R. Jackisch 129

Caudate volume as an outcome measure in clinical trials for Huntington's disease: a pilot study.
Aylward, E.H., A. Rosenblatt, K. Field, V. Yallapragada, K. Kieburtz, M. McDermott, L.A. Raymond, E.W. Almqvist, M. Hayden and C.A. Ross 137

Sleep and synaptic homeostasis: a hypothesis.
Tononi, G. and C. Cirelli 143

The effect of nitric oxide synthase inhibition on cognitive ability and strategies employed for place learning in the water maze: sex differences.
Kanit, L., E.O. Koylu, G. Yararbas, J.J. Furedy and S. Pogun 151

Enhancement of electroacupuncture-induced analgesic effect in cholecystokinin-A receptor deficient rats.
Lee, G.-S., J.-B. Han, M.-K. Shin, M.-C. Hong, S.-W. Kim, B.-I. Min and H. Bae 161

TSII toxin isolated from *Tityus serrulatus* scorpion venom: behavioral, electroencephalographic, and histopathologic studies.
Sandoval, M.R.L. and I. Lebrun 165

Articles

Chronic psychosocial stress down-regulates central cytokines mRNA.
Bartolomucci, A., P. Palanza, S. Parmigiani, T. Pederzani, E. Merlot, P.J. Neveu and R. Dantzer . . . 173

Fos-like immunoreactive neurons following electrical stimulation of the dorsal periaqueductal gray at freezing and escape thresholds.
Vianna, D.M.L., K.G. Borelli, C. Ferreira-Netto, C.E. Macedo and M.L. Brandão 179

Inverse relation between postural variability and difficulty of a concurrent short-term memory task.
Riley, M.A., A.A. Baker and J.M. Schmit 191

Open field locomotor effects in rats after intraventricular injections of ethanol and the ethanol metabolites acetaldehyde and acetate.
Correa, M., M.N. Arizzi, A. Betz, S. Mingote and J.D. Salamone 197

Fos and FRA protein expression in rat precerebellar structures during the Neurolab Space Mission.
d'Ascanio, P., E. Balaban, M. Pompeiano, C. Centini and O. Pompeiano 203

Method for measuring neurotoxicity of aggregating polypeptides with the MTT assay on differentiated neuroblastoma cells.
Datki, Z., A. Juhász, M. Gálfi, K. Soós, R. Papp, D. Zádori and B. Penke 223

White matter lesions in Fabry disease occur in 'prior' selectively hypometabolic and hyperperfused brain regions.
Moore, D.F., G. Altarescu, W.C. Barker, N.J. Patronas, P. Herscovitch and R. Schiffmann 231

The impact of self-hypnosis and Johrei on lymphocyte subpopulations at exam time: a controlled study.
Naito, A., T.M. Laidlaw, D.C. Henderson, L. Farahani, P. Dwivedi and J.H. Gruzelier 241

Postsynaptic dopamine (D_2)-mediated behavioural effects of high acute doses of artemisinin in rodents.
Amos, S., B.A. Chindo, J. Abbah, H.O. Vongtau, I. Edmond, L. Binda, P.A. Akah, C. Wambebe and K.S. Gamaniel 255

Commentary

Suppressive silver methods—a tool for identifying axotomy-induced neuron degeneration.
Grant, G., H. Holländer and H. Aldskogius 261

Review

Dual separate pathways for sensory and hedonic aspects of taste.
Sewards, T.V. 271

Articles

Morphine actions in the rat forebrain: role of protein kinase C.
Harlan, R.E., S.R. Kailas, C.E.F. Tagoe and M.M. Garcia 285

Angiotensin II attenuates chemical hypoxia-induced caspase-3 activation in primary cortical neuronal cultures.
Grammatopoulos, T.N., K. Morris, C. Bachar, S. Moore, R. Andres and J.A. Weyhenmeyer 297

β-Adrenoceptor modulation of transiently overexpressed α_2-adrenoceptors in brain and peripheral tissues: cellular mechanisms underlying the developmental toxicity of terbutaline.
Kreider, M.L., F.J. Seidler and T.A. Slotkin 305

A neurobehavioral screening of the ckr mouse mutant: implications for an animal model of schizophrenia.
Torres, G., B.H. Hallas, V.A. Vernace, C. Jones, K.W. Gross and J.M. Horowitz 315

Non-opioid-dependent anti-inflammatory effects of low frequency electroacupuncture.
Zhang, S.P., J.S. Zhang, K.K.L. Yung and H.Q. Zhang 327

Adaptive morphological changes of neocortical interneurons in response to enlarged and more complex pyramidal cells in p21H-Ras^{Val12} transgenic mice.
Alpár, A., G. Seeger, W. Härtig, T. Arendt and U. Gärtner 335

Characteristics of nociceptors in the periodontium—an in vitro study in rats.
Toda, K., J.L. Zeredo, R. Fujiyama, Y. Okada, K. Oi, Y. Hayashi and F.H. Nasution 345

Review

Where psychology meets physiology: chronic stress and premature mortality—the Central-Eastern European health paradox.
Kopp, M.S. and J. Réthelyi 351

Technical report

Development of a stereotaxic instrument for study of the bovine central nervous system.
Saito, T., T. Nemoto, Y. Nagase, E. Kasuya and R. Sakumoto 369

Articles

Increase of the hippocampal theta activity in the Morris water maze reflects learning rather than motor activity.
Olvera-Cortés, E., M.A. Guevara and I. González-Burgos 379

Effects of bilateral resection of facial nerves on suckling in developing rats.
Fukushima, N., K. Fujita, K. Yokouchi, K. Kawagishi and T. Moriizumi 385

Neuro-glial interactions in the adult rat retina after reaxotomy of ganglion cells: examination of neuron survival and phagocytic microglia using fluorescent tracers.
Schuetz, E. and S. Thanos 391

Inhibitory effects of angiotensin on NMDA-induced cytotoxicity in primary neuronal cultures.
Jing, G., T. Grammatopoulos, P. Ferguson, W. Schelman and J. Weyhenmeyer 397

Central AII evokes a normal sodium appetite in the Fischer rat, but its low spontaneous sodium intake may be related to reduced excitation and increased inhibition in septo-preoptic AII neurons.
Falconetti, C., M. Chapleur, B. Fernette and S.N. Thornton 405

Characterization of nicotinic receptors inducing noradrenaline release and absence of nicotinic autoreceptors in human neocortex.
Amtage, F., B. Neughebauer, J.M. McIntosh, T. Freiman, J. Zentner, T.J. Feuerstein and R. Jackisch 413

Neuroprotective effect of 4-amino-1,8-napthalimide, a poly(ADP ribose) polymerase inhibitor in middle cerebral artery occlusion-induced focal cerebral ischemia in rat.
Kabra, D.G., M. Thiyagarajan, C.L. Kaul and S.S. Sharma 425

Special Issue

Neuroprotection and the Eye

Preface 435

Overview

The molecular biology of retinal ganglion cell death: caveats and controversies.
Nickells, R.W. 439

Neuroprotection in ophthalmology: a review.
Barkana, Y. and M. Belkin 447

Neuroprotection

Pharmacologic neuroprotection with an inhibitor of nitric oxide synthase for the treatment of glaucoma.
Neufeld, A.H. 455

Endogenous neuroprotection in the retina.
Roth, S. 461

Optic nerve crush: protection and regeneration.
Schwartz, M. 467

Heat shock proteins, immunity and glaucoma.
Tezel, G., J. Yang and M.B. Wax 473

Vaccination for glaucoma: dream or reality?
Schwartz, M. 481

Effects of axonal injury on ganglion cell survival and glutamate homeostasis.
Vorwerk, C.K., D. Zurakowski, L.M. McDermott, C. Mawrin and E.B. Dreyer 485

Alpha-fodrin is cleaved by caspase-3 in a chronic ocular hypertensive (COH) rat model of glaucoma.
Tahzib, N.G., N.L. Ransom, H.A. Reitsamer and S.J. McKinnon 491

Oxidative stress-induced apoptosis is associated with alterations in mitochondrial caspase activity and Bcl-2-dependent alterations in mitochondrial pH (pH_m).
Takahashi, A., A. Masuda, M. Sun, V.E. Centonze and B. Herman 497

Vascular

Regulation of nitric oxide and soluble guanylyl cyclase.
Krumenacker, J.S., K.A. Hanafy and F. Murad 505

Pathogenetic aspects of the glaucomatous optic neuropathy: fluorescein angiographic findings in patients with primary open angle glaucoma.
Arend, O., N. Plange, W.E. Sponsel and A. Remky 517

Effectiveness of levobetaxolol and timolol at blunting retinal ischaemia is related to their calcium and sodium blocking activities: relevance to glaucoma.
Osborne, N.N., J.P.M. Wood, G. Chidlow, R. Casson, L. DeSantis and K.-G. Schmidt 525

Sustained perimacular vascular and visual response to topical beta blockers in normal human eyes.
Sponsel, W.E. 529

Vascular change of hippocampal capillary is associated with vascular change of retinal capillary in aging.
Hagino, N., S. Kobayashi, T. Tsutsumi, S. Horiuchi, R. Nagai, G. Setalo and E. Dettrich 537

Possible therapy for age-related macular degeneration using human telomerase.
Rowe-Rendleman, C. and R.D. Glickman 549

Contents of Volume 62 555

Author Index 561

Subject Index 565